

# The Importance of Supporting Local Growers






















Crawfordsville, IN



Goshen, IN





Soil Name	Description	Soil Name	Description	Soil Name	Description
CLAY PLAINS AND HILLS	...	CLAY PLAINS AND HILLS	...	CLAY PLAINS AND HILLS	...
BLACK LOESS HILLS	...	BLACK LOESS HILLS	...	BLACK LOESS HILLS	...
MIDDLE LOESS HILLS	...	MIDDLE LOESS HILLS	...	MIDDLE LOESS HILLS	...
WESTERN HILLS	...	WESTERN HILLS	...	WESTERN HILLS	...
WESTERN MOUNTAINS	...	WESTERN MOUNTAINS	...	WESTERN MOUNTAINS	...
BLUE	...	BLUE	...	BLUE	...
WEST MOUNTAINS	...	WEST MOUNTAINS	...	WEST MOUNTAINS	...
WEST HILLS	...	WEST HILLS	...	WEST HILLS	...
WESTERN HILLS	...	WESTERN HILLS	...	WESTERN HILLS	...



⇒ not all soil is created equal

⇒ I want to know where my  
food comes from



### Coastal region below 1.300 m.a.s.l.

Warm soils of high fertility are predominant due to the tropical climate. They are characterized by high soil permeability, aeration, large amounts of nutrients, drainage and water retention. Soils are used for the production of crops and for cattle.

**Provinces:** Esmeraldas, Manabí, Santo Domingo de los Colorados, Santa Elena, Guayas, Orellana, Los Ríos


**Type of soil:** Inceptisols, entisols, alfisols, vertisols, ultisols

### Andean region over 1.300 m.a.s.l.

Region with variable climatic conditions, cold events, volcanic zones, variable humidity and thick soils with high organic matter content. Volcanic ash can constitute a large part of the native soil material.

**Provinces:** Azuay, Bolívar, Cañar, Cacha, Chimborazo, Cotacachi, Imbabura, Loja, Morona Santiago, Tungurahua

**Type of soil:** Inceptisols, entisols, entisols, mollicsols



- |             |  |                             |  |
|-------------|--|-----------------------------|--|
| ALFISOLS    |  | MOLLISOLS                   |  |
| ANDISOLS    |  | OXISOLS                     |  |
| ARBISOLS    |  | ULTISOLS                    |  |
| ENTISOLS    |  | VERTISOLS                   |  |
| HISTOSOLS   |  | EXCLUSION ZONE              |  |
| INCEPTISOLS |  | Heritage Of Protected Areas |  |
|             |  | Non-cultivated Soil         |  |

### Amazon region below 1.300 m.a.s.l.

The region has very climatic conditions. Inceptisols are present in the majority of the region, soils of variable fertility, susceptible to erosion, leaching of nutrients and little water level. It is a region of extensive forests and great biodiversity.

**Provinces:** Azuay, Sucumbios, Guanoa, Pastaza, Morona Santiago and Zamora Chinchipe

**Type of soil:** Inceptisols, Entisols, Entisols, Mollicsols and Mollicsols












⇒ take care of the soil you have

⇒ the closer, the better











# Soil Map of Montgomery County, IN



# THE Juniper SPOON



Harvest - Inspired  
Catering



**Juniper**



**Juniper**



**Spoon**












































**WABASH  
COLLEGE**
















**WABASH  
COLLEGE**






















**Walmart**  <sup>®</sup>

**Walmart**  <sup>®</sup>

**meijer**


Walmart



***Big Sale!!***

meijer

Walmart



**Big Sale!!**



meijer




Home Grown Produce

FARM VALENTINO

Crawfordsville, IN  
valentino.farm@hotmail.com





**ISOLATE**



# JUNIPER-SPOONFED

Prepared meals delivered right to your door!











